JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2000

Volume 90

SUBJECT INDEX

A

Acrocephalosyndactyly
Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322

Amputation
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Preventive foot care in people with diabetes [American Diabetes Association], 1:51
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18

Angle, proximal articular set
Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199

Ankle
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385

Antiretroviral therapy
Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98

Apert syndrome
Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322

APMA Announcements and Reports
Council on Podiatric Medical Education, 80th annual report, 1999, 3:159
88th Annual Meeting, 81st Annual Sessions, House of Delegates, 10:513
1999 Arthritis Survey [American Podiatric Medical Association], 2:85

Arthritis
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
1999 Arthritis Survey [American Podiatric Medical Association], 2:85

Arthropathy
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Arthroplasty
First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303

Athletics
The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194
The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

B

Bioengineered skin
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57

Biomechanics
The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
Biomechanics of the normal and abnormal foot [Kirby], 1:30
Biomechanics of the tarsal mechanism: a key to the function of the normal human foot [Huson], 1:12
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
A critical review of the literature on foot orthoses [Pratt], 7:339
Dynamic foot orthoses: principles and application [Pratt], 1:24
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390
Efficacy of foot orthoses: what does the literature tell us? [Landorf and Keenan], 3:149
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133

JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2000

Volume 90

SUBJECT INDEX

A

Acrocephalosyndactyly
Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322

Amputation
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Preventive foot care in people with diabetes [American Diabetes Association], 1:51
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18

Angle, proximal articular set
Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199

Ankle
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385

Antiretroviral therapy
Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98

Apert syndrome
Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322

APMA Announcements and Reports
Council on Podiatric Medical Education, 80th annual report, 1999, 3:159
88th Annual Meeting, 81st Annual Sessions, House of Delegates, 10:513
1999 Arthritis Survey [American Podiatric Medical Association], 2:85

Arthritis
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
1999 Arthritis Survey [American Podiatric Medical Association], 2:85

Arthropathy
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Arthroplasty
First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303

Athletics
The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194
The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

B

Bioengineered skin
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57

Biomechanics
The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
Biomechanics of the normal and abnormal foot [Kirby], 1:30
Biomechanics of the tarsal mechanism: a key to the function of the normal human foot [Huson], 1:12
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
A critical review of the literature on foot orthoses [Pratt], 7:339
Dynamic foot orthoses: principles and application [Pratt], 1:24
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390
Efficacy of foot orthoses: what does the literature tell us? [Landorf and Keenan], 3:149
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133

Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385
The normal foot [Phillips], 7:342
Normal values of plantar pressure measurements determined using the EMED-SF system [Bryant et al], 6:295
The role of theory in understanding the midtarsal joint (commentary) [Payne], 7:377
Sagittal plane biomechanics [Dananberg], 1:47
Tarsal functions, movement, and stabilization mechanisms in foot, ankle, and leg performance [Vogler and Bojsen-Møller], 3:112
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Velocity of the center of pressure during walking [Cornwall and McPoil], 7:334
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Blisters
The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194

Bone
Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77
Osteoid osteoma of the distal phalanx [Baller et al], 9:480
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Use of small cannulated screws for fixation in foot surgery [Burns], 5:240

Book reviews
Numb Toes and Aching Soles: Coping with Peripheral Neuropathy [Spadone], 2:107
Pediatric Foot and Ankle Surgery [Bresnahan], 2:108
Surgery of the Foot and Ankle [Miller], 2:107

Boyd amputation
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234

Burn
Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320

C

Calcaneus
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390

Carcinoma
Squamous cell carcinoma of the hallux [Holgado et al], 6:309

Cast
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441

Charcot's joint
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Cheiroarthropathy
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126

Chemotherapy
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Children
The effectiveness of gait plates in controlling in-toeing symptoms in young children [Redmond], 2:70

Chondrosarcoma
Chondrosarcoma of the foot [Lo et al], 4:203

Ciclopirox
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491

Clonidine
Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324

Coccidioidomycosis
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508

Computed tomography
Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223

Congenital anomaly
Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223
Ectrodactyly–ectodermal dysplasia–clefting syndrome [Kelman and Aronoff], 9:460
Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322

Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421
A rare occurrence of polydactyly [Shaheed et al], 8:425

Cycling
The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354

Cyst
Origin of foot ganglion [Lemont and Sabo], 5:256

D

Deformity
Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223
Ectrodactyly–ectodermal dysplasia–clefting syndrome [Kelman and Aronoff], 9:460
Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322
Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421
The normal foot [Phillips], 7:342
A rare occurrence of polydactyly [Shaheed et al], 8:425

Dermatophyte test medium
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450

Diabetes mellitus
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Preventive foot care in people with diabetes [American Diabetes Association], 1:51
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287

Dissection, blunt
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217

E

Ectrodactyly–ectodermal dysplasia–clefting (EEC) syndrome
Ectrodactyly–ectodermal dysplasia–clefting syndrome [Kelman and Aronoff], 9:460

Edema
Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421

Editing, journal
Ethical issues in medical journal editing [Joseph], 9:465

Education
A conceptual model for a geriatric fellowship in podiatric medicine [Helfand], 6:313
A conceptual model for a geriatric syllabus for podiatric medicine [Helfand], 5:258

Elderly
A conceptual model for a geriatric fellowship in podiatric medicine [Helfand], 6:313
A conceptual model for a geriatric syllabus for podiatric medicine [Helfand], 5:258
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
Nontraumatic foot complaints in older people: a population-based survey of risk factors, mobility, and well-being [Gorter et al], 8:397
Use of gait patterns to reveal possible disorders in the geriatric patient [Paragas et al], 4:183

Electrostimulation
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287

Ethics
Ethical issues in medical journal editing [Joseph], 9:465

Evidence-based medicine
A critical review of the literature on foot orthoses [Pratt], 7:339
Levels of evidence of articles in podiatric medical journals [Turlik and Kushner], 6:300
Outcomes research in podiatric medicine [Wrobel], 8:403

F

Fasciitis, plantar
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Fibroma, chondromyxoid
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211

Fixation
Use of small cannulated screws for fixation in foot surgery [Burns], 5:240

Footdrop
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411

Forces, shear
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346

Foreign body
Retained digital foreign body after a pellet gun injury [Vincent and Jenkins], 2:103

Fracture
Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77
Use of small cannulated screws for fixation in foot surgery [Burns], 5:240

Freiberg's infraction
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

Fungal infection
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
Mycetoma [Young et al], 2:81
Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394

G

Gait
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
The effectiveness of gait plates in controlling in-toeing symptoms in young children [Redmond], 2:70
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385
Sagittal plane biomechanics [Dananberg], 1:47
Tarsal functions, movement, and stabilization mechanisms in foot, ankle, and leg performance [Vogler and Bojsen-Møller], 3:112
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Use of gait patterns to reveal possible disorders in the geriatric patient [Paragas et al], 4:183
Velocity of the center of pressure during walking [Cornwall and McPoil], 7:334

Gait plates
The effectiveness of gait plates in controlling in-toeing symptoms in young children [Redmond], 2:70

Ganglion
Origin of foot ganglion [Lemont and Sabo], 5:256

Geriatric population
A conceptual model for a geriatric fellowship in podiatric medicine [Helfand], 6:313
A conceptual model for a geriatric syllabus for podiatric medicine [Helfand], 5:258
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
Nontraumatic foot complaints in older people: a population-based survey of risk factors, mobility, and well-being [Gorter et al], 8:397
Use of gait patterns to reveal possible disorders in the geriatric patient [Paragas et al], 4:183

Gonococcus
Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273

Gonorrhea
Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273

Grafting
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320

Growth factors
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57

Guidelines, authors'
Guidelines for Authors, 1:53, 4:219, 7:380, 9:484

H

Hallux
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390

First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303
Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199
Squamous cell carcinoma of the hallux [Holgado et al], 6:309
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Hallux abducto valgus
Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Hallux limitus
First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Heel pain
Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Heel spur syndrome
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Human immunodeficiency virus
Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98

I

Imaging
Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223

Implant
First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303

Infection
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273
Mycetoma [Young et al], 2:81
Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394

Information resources
Podiatric medical resources on the Internet: a third update [Fikar], 9:473
Wound-care resources on the Internet [Fikar and Corral], 2:93

Infraction
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

Injury
The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194
Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133
Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Retained digital foreign body after a pellet gun injury [Vincent and Jenkins], 2:103
Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320

Insole materials
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346

Instillation
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175

Internet
Podiatric medical resources on the Internet: a third update [Fikar], 9:473
Wound-care resources on the Internet [Fikar and Corral], 2:93

In-toeing
The effectiveness of gait plates in controlling in-toeing symptoms in young children [Redmond], 2:70

Ischemia
Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324

J

JAPMA Announcements
In appreciation (of peer reviewers for JAPMA), 10:512

Joint
Biomechanics of the normal and abnormal foot [Kirby], 1:30
Biomechanics of the tarsal mechanism: a key to the function of the normal human foot [Huson], 1:12
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390
First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385
The role of theory in understanding the midtarsal joint (commentary) [Payne], 7:377
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

K

Kaposi's sarcoma
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217

Klippel-Trénaunay syndrome
Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421

L

Lesion
Acral-lentiginous melanoma [Gregoline et al], 6:327
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Chondrosarcoma of the foot [Lo et al], 4:203
Giant cell tumor of tendon sheath in the toe [Lo and Ketterer], 5:270
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Mycetoma [Young et al], 2:81
Origin of foot ganglion [Lemont and Sabo], 5:256
Osteoid osteoma of the distal phalanx [Baller et al], 9:480
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Squamous cell carcinoma of the hallux [Holgado et al], 6:309

M

Madura foot
Mycetoma [Young et al], 2:81

Manipulation
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385

Matrixectomy
A modified approach to the phenol and alcohol chemical partial matrixectomy [Kominsky and Daniels], 4:208

Measurement
Normal values of plantar pressure measurements determined using the EMED-SF system [Bryant et al], 6:295
Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199

Melanoma
Acral-lentiginous melanoma [Gregoline et al], 6:327

Metatarsal
Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
A simple cure for Morton's neuralgia [Hirschberg], 2:100

Military training
The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194

Minocycline
Minocycline-induced cutaneous hyperpigmentation [Joseph and Sabo], 5:268

Morton's neuralgia
A simple cure for Morton's neuralgia [Hirschberg], 2:100

Mycetoma
Mycetoma [Young et al], 2:81

Mycosis
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
Mycetoma [Young et al], 2:81
Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394

N

Nail
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
A modified approach to the phenol and alcohol chemical partial matrixectomy [Kominsky and Daniels], 4:208
Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98
Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394

Neoplasm
Acral-lentiginous melanoma [Gregoline et al], 6:327
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Chondrosarcoma of the foot [Lo et al], 4:203
Giant cell tumor of tendon sheath in the toe [Lo and Ketterer], 5:270
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Mycetoma [Young et al], 2:81
Origin of foot ganglion [Lemont and Sabo], 5:256
Osteoid osteoma of the distal phalanx [Baller et al], 9:480
Squamous cell carcinoma of the hallux [Holgado et al], 6:309

Nerve
Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
A simple cure for Morton's neuralgia [Hirschberg], 2:100
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Neuroarthropathy
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Neurolysis
Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281

Neuroma
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
A simple cure for Morton's neuralgia [Hirschberg], 2:100

Neuropathy
A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

Nodule, rheumatoid
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252

O

Onychomycosis
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394

Onychocryptosis
A modified approach to the phenol and alcohol chemical partial matrixectomy [Kominsky and Daniels], 4:208

Orthoses
A critical review of the literature on foot orthoses [Pratt], 7:339
Dynamic foot orthoses: principles and application [Pratt], 1:24
The effectiveness of gait plates in controlling in-toeing symptoms in young children [Redmond], 2:70
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2
Efficacy of foot orthoses: what does the literature tell us? [Landorf and Keenan], 3:149
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

Osteochondrosis
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

Osteoma
Osteoid osteoma of the distal phalanx [Baller et al], 9:480

Osteomyelitis
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234

Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508

Outcomes research
Outcomes research in podiatric medicine [Wrobel], 8:403

P

Pain
Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
A simple cure for Morton's neuralgia [Hirschberg], 2:100
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

Paronychia
Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98

Pediatric population
The effectiveness of gait plates in controlling in-toeing symptoms in young children [Redmond], 2:70

Phalanx
Osteoid osteoma of the distal phalanx [Baller et al], 9:480

Physical therapy
Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126

Plantar fasciitis
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

President's Message
Acceptance address, 8:430
Internet technology: a limitless resource, 1:56
Leadership, politics, and podiatric medicine, 4:222
Leadership diversity: tomorrow is today, 5:277
Outcomes data and public education: tomorrow is today, 3:166
Provider access and fair wages: tomorrow is today, 2:109
Strength through unity: the future of podiatric medicine, 9:487
Strength through unity: why become a mentor for podiatric medicine?, 10:529
"Thank you," 7:383
The world of podiatric medicine: tomorrow is today, 6:331

Pressure
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
Normal values of plantar pressure measurements determined using the EMED-SF system [Bryant et al], 6:295
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Velocity of the center of pressure during walking [Cornwall and McPoil], 7:334

Proximal articular set angle
Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199

R

Rearfoot
Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390

Reflex, tonic
Dynamic foot orthoses: principles and application [Pratt], 1:24

Research
A critical review of the literature on foot orthoses [Pratt], 7:339
Levels of evidence of articles in podiatric medical journals [Turlik and Kushner], 6:300
Outcomes research in podiatric medicine [Wrobel], 8:403
Podiatric medical research (editorial) [Joseph], 6:279

Running
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133

S

Sagittal plane
Sagittal plane biomechanics [Dananberg], 1:47

Sarcoma, Kaposi's
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217

Screw
Use of small cannulated screws for fixation in foot surgery [Burns], 5:240

Skin
Acral-lentiginous melanoma [Gregoline et al], 6:327
Minocycline-induced cutaneous hyperpigmentation [Joseph and Sabo], 5:268
Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320
Squamous cell carcinoma of the hallux [Holgado et al], 6:309

Sports medicine
The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194

The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
The evolution of the study of the mechanics of running: relationship to injury [McClay], 3:133
Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77

Surgery
Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
A modified approach to the phenol and alcohol chemical partial matrixectomy [Kominsky and Daniels], 4:208
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Use of small cannulated screws for fixation in foot surgery [Burns], 5:240

Synovitis, rheumatoid
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252

T

Tarsus
Biomechanics of the tarsal mechanism: a key to the function of the normal human foot [Huson], 1:12
Tarsal functions, movement, and stabilization mechanisms in foot, ankle, and leg performance [Vogler and Bojsen-Møller], 3:112

Tendon
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
Giant cell tumor of tendon sheath in the toe [Lo and Ketterer], 5:270

Theory
The role of theory in understanding the midtarsal joint (commentary) [Payne], 7:377

Tibia
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2

Tumor
Acral-lentiginous melanoma [Gregoline et al], 6:327
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217
Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Chondrosarcoma of the foot [Lo et al], 4:203
Giant cell tumor of tendon sheath in the toe [Lo and Ketterer], 5:270
Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Mycetoma [Young et al], 2:81
Origin of foot ganglion [Lemont and Sabo], 5:256
Osteoid osteoma of the distal phalanx [Baller et al], 9:480
Squamous cell carcinoma of the hallux [Holgado et al], 6:309

U

Ulcer
Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Preventive foot care in people with diabetes [American Diabetes Association], 1:51
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320
Squamous cell carcinoma of the hallux [Holgado et al], 6:309
Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324
Wound-care resources on the Internet [Fikar and Corral], 2:93

V

Vascular disease
Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421

Vincristine
Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

W

Windlass mechanism
The windlass mechanism of the foot: a mechanical model to explain pathology [Fuller], 1:35

A

Ali, S. Jeffrey: Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Allman, Lara M.: First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303
American Diabetes Association: Preventive foot care in people with diabetes, 1:51
American Podiatric Medical Association: 1999 Arthritis Survey, 2:85
Anderson, Robert F.: Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Archer, Jean V.: Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320
Armstrong, David G.: The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Aronoff, Richard C.: Ectrodactyly–ectodermal dysplasia–clefting syndrome [Kelman and Aronoff], 9:460
Axe, Timothy M.: Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287

B

Baller, Jeffrey D.: Osteoid osteoma of the distal phalanx [Baller et al], 9:480
Banks, Alan S.: Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281
Bastacky, Sheldon: Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Berenter, Richard: Use of gait patterns to reveal possible disorders in the geriatric patient [Paragas et al], 4:183
Bevan, Lawrence S.: The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390
Bhimji, Safia: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Bituin, Ben V.: A rare occurrence of polydactyly [Shaheed et al], 8:425
Blocher, Kenneth S.: Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
Bohn, Manfred: The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Bojsen-Møller, Finn: Tarsal functions, movement, and stabilization mechanisms in foot, ankle, and leg performance [Vogler and Bojsen-Møller], 3:112
Brenner, Lori A.:
Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Bresnahan, Philip J.: Review of *Pediatric Foot and Ankle Surgery*, 2:108
Brodine, Stephanie K.: The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194
Brower, David J.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Bryant, Alan R.: Normal values of plantar pressure measurements determined using the EMED- SF system [Bryant et al], 6:295
Burns, Albert E.: Use of small cannulated screws for fixation in foot surgery, 5:240
Bush, Ruth A.: The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194
Byron, Scott E.: Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167

C

Caldwell, Bryan D.: Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Cardinal, Michael D.: Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
Carranza-Bencano, Andrés: Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322
Chagares, William: Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421
Chaudry, Samia Riaz: Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217
Clark, Steven: Acral-lentiginous melanoma [Gregoline et al], 6:327
Connolly, John E.: Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175
Cooper, Michael L.: Skin grafting of partial-thickness burns in the diabetic foot [Archer and Cooper], 6:320
Cornwall, Mark W.:
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2
Velocity of the center of pressure during walking [Cornwall and McPoil], 7:334
Corral, Fernando Moya: Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322
Corral, Oscar L.: Wound-care resources on the Internet [Fikar and Corral], 2:93
Cragel, Michael D.: Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
Curryer, Melanie: Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346

D

Dananberg, Howard J.:
Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385
Sagittal plane biomechanics, 1:47
Daniels, Mikel David: A modified approach to the phenol and alcohol chemical partial matrixectomy [Kominsky and Daniels], 4:208

De Bock, Patrick G. E.: Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
DeLauro, Thomas M.: Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478
de Melker, Ruut A.: Nontraumatic foot complaints in older people: a population-based survey of risk factors, mobility, and well-being [Gorter et al], 8:397
Demos, Terrence C.: Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223
Denmark, James A.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Dennis, Lynn M.: Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Dijs, Henk M.: Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
DiStazio, John J.: Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Dobbs, Bruce M.: Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Driessens, Marc F.: Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126

E

Evans, R. D. Lee: Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199

F

Fee, Martin J.: Mycetoma [Young et al], 2:81
Feit, Eric M.: Chondromyxoid fibroma of the fourth metatarsal [Feit and Dobbs], 4:211
Fernández-Torres, José Juan: Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322
Fikar, Charles R.:
Podiatric medical resources on the Internet: a third update, 9:473
Wound-care resources on the Internet [Fikar and Corral], 2:93
Fishco, William D.:
Disseminated coccidioidomycosis masquerading as tendinitis [Fishco and Blocher], 10:508
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
Fuller, Eric A.: The windlass mechanism of the foot: a mechanical model to explain pathology, 1:35
Furmato, James A.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411

G

Gaither, Fred: Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
Giacopelli, Joseph A.: Mycetoma [Young et al], 2:81
Goecker, Robert M.:
Analysis of release of the first branch of the lateral plantar nerve [Goecker and Banks], 6:281
The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
Goel, Annu R.: Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
Gómez-Arroyo, José Antonio: Foot deformities associated with Apert syndrome [Carranza-Bencano et al], 6:322
Goosby, Eric: Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98
Gorter, Kees J.: Nontraumatic foot complaints in older people: a population-based survey of risk factors, mobility, and well-being [Gorter et al], 8:397
Grady, John F.:
The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Granoff, David P.: Mycetoma [Young et al], 2:81
Gregoline, Paul E.: Acral-lentiginous melanoma [Gregoline et al], 6:327
Guiliano, Michelle: Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385
Gupta, Aditya K.:
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502

H

Harkless, Lawrence B.: The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Harradine, Paul D.: The effect of rearfoot eversion on maximal hallux dorsiflexion: a preliminary study [Harradine and Bevan], 8:390
Harris, Edwin J.: Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223
Harvey, Carolyn K.:
Chondrosarcoma of the foot [Lo et al], 4:203
Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394
Hatchett, Hal: Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
Helfand, Arthur E.:
A conceptual model for a geriatric fellowship in podiatric medicine, 6:313
A conceptual model for a geriatric syllabus for podiatric medicine, 5:258
Hembree, John L. III: Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273
Hillstrom, Howard J.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Hirschberg, Gerald G.: A simple cure for Morton's neuralgia, 2:100
Hogge, Jeffrey: The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57

Holgado, Ronald D.: Squamous cell carcinoma of the hallux [Holgado et al], 6:309
Huson, Anthony: Biomechanics of the tarsal mechanism: a key to the function of the normal human foot, 1:12

I

Iannuzzi, Louis N.: Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478

J

Jacobs, Christophe: Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
Jenkins, David W.: Retained digital foreign body after a pellet gun injury [Vincent and Jenkins], 2:103
Jessup, David: Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273
Joseph, Warren S.:
Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States [Gupta and Joseph], 10:495
Ethical issues in medical journal editing, 9:465
Guidelines for authors, 1:53, 4:219, 7:380, 9:484
Minocycline-induced cutaneous hyperpigmentation [Joseph and Sabo], 5:268
Podiatric medical research (editorial), 6:279

K

Keating, Sean E.: First metatarsophalangeal joint implant as a salvage procedure [Allman and Keating], 6:303
Keenan, Anne-Maree: Efficacy of foot orthoses: what does the literature tell us? [Landorf and Keenan], 3:149
Kelly, Valerie E.: Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Kelman, Gary J.: Ectrodactyly–ectodermal dysplasia–clefting syndrome [Kelman and Aronoff], 9:460
Ketterer, Deborah: Giant cell tumor of tendon sheath in the toe [Lo and Ketterer], 5:270
Kinmon, Kyle: Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
Kirby, Kevin A.: Biomechanics of the normal and abnormal foot, 1:30
Kirschenbaum, Stuart E.: Acral-lentiginous melanoma [Gregoline et al], 6:327
Kobayashi, Wes: Mycetoma [Young et al], 2:81
Kominsky, Stephen J.: A modified approach to the phenol and alcohol chemical partial matrixectomy [Kominsky and Daniels], 4:208
Kraemer, Karl: The dermatopharmacologic profile of ciclopirox 8% nail lacquer [Bohn and Kraemer], 10:491
Krasner, Diane: The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57
Kruljac, Stephen J.: Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Kushner, Donald: Levels of evidence of articles in podiatric medical journals [Turlik and Kushner], 6:300
Kuyvenhoven, Marijke M.: Nontraumatic foot complaints in older people: a population-based survey of risk factors, mobility, and well-being [Gorter et al], 8:397

L

Lamm, Bradley M.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Landorf, Karl B.:
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
Efficacy of foot orthoses: what does the literature tell us? [Landorf and Keenan], 3:149
Lane, John W.: Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
Lee, Joung: Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421
Leff, Fred: Osteoid osteoma of the distal phalanx [Baller et al], 9:480
Lemaire, Edward D.: Effectiveness of various materials in reducing plantar shear forces: a pilot study [Curryer and Lemaire], 7:346
Lemont, Harvey:
Blunt dissection technique for the removal of Kaposi's sarcoma [Lemont and Chaudry], 4:217
Origin of foot ganglion [Lemont and Sabo], 5:256
Lepow, Ronald S.:
Internet technology: a limitless resource, 1:56
Leadership, politics, and podiatric medicine, 4:222
Leadership diversity: tomorrow is today, 5:277
Outcomes data and public education: tomorrow is today, 3:166
Provider access and fair wages: tomorrow is today, 2:109
"Thank you," 7:383
The world of podiatric medicine: tomorrow is today, 6:331
Licandro, Jim: Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324
Lidtke, Roy H.: Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
Lile, Lesley N.: Proximal articular set angle: radiographic *versus* intraoperative measurement [Evans and Lile], 4:199
Lo, Eddie P.:
Chondrosarcoma of the foot [Lo et al], 4:203
Giant cell tumor of tendon sheath in the toe [Lo and Ketterer], 5:270
Lomasney, Laurie M.: Computed tomographic imaging of the foot and ankle: developmental and congenital anomalies [Lomasney et al], 5:223
Lumb, Peter S. B.: Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441

M

Macher, Abe: Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98
Malkin, Kenneth: Ciclopirox nail lacquer and podiatric practice [Gupta and Malkin], 10:502
McClay, Irene: The evolution of the study of the mechanics of running: relationship to injury, 3:133

McKay, Douglas J.: Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478
McMahon, John: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
McPoil, Thomas G.:
The effect of foot orthoses on transverse tibial rotation during walking [McPoil and Cornwall], 1:2
Velocity of the center of pressure during walking [Cornwall and McPoil], 7:334
Miller, Stephen J.: Review of *Surgery of the Foot and Ankle*, 7th Ed, 2:107
Mirmiran, Roya: Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273
Moore, Carol J.: Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324
Morin, Jeffrey R.: Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421
Muehleman, Carol: Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
Mueller, Michael J.: Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18

N

Nealy, Joy A.: A rare occurrence of polydactyly [Shaheed et al], 8:425
Nguyen, Hienvu: The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds [Hogge et al], 2:57

O

O'Connor, Kevin J.:
Use of a clonidine patch in the treatment of ischemic ulcerations of the foot [O'Connor et al], 6:324
Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Oehrlein, Charles R.: Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77
O'Halloran, William D.: The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
Olson, Karlon: Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101

P

Palamarchuk, Howard J.: Freiberg's infraction in a collegiate heptathlete [Palamarchuk and Oehrlein], 2:77
Paragas, Lori K.: Use of gait patterns to reveal possible disorders in the geriatric patient [Paragas et al], 4:183
Park, Daniel S.: Osteoid osteoma of the distal phalanx [Baller et al], 9:480
Patel, Dipika: Calcaneal bone mineral density and mechanical strength of the metatarsals [Lidtke et al], 9:435
Payne, Craig B.: The role of theory in understanding the midtarsal joint (commentary), 7:377
Penugonda, Sharada: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Phillips, Robert D.: The normal foot, 7:342
Pollak, Ruben: Chondrosarcoma of the foot [Lo et al], 4:203
Pratt, David J.:
A critical review of the literature on foot orthoses, 7:339
Dynamic foot orthoses: principles and application, 1:24

R

Redmond, Anthony Charles:
The effectiveness of gait plates in controlling in-toeing symptoms in young children, 2:70
Effect of cast and noncast foot orthoses on plantar pressure and force during normal gait [Redmond et al], 9:441
Reed, William P.: Disseminated gonococcal infection: a case of β-lactamase–producing *Neisseria gonorrhoeae* [Mirmiran et al], 5:273
Ribeiro, Carla E.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Richardson, Amy: Techniques for obtaining specimens for culture to confirm onychomycosis [Harvey and Richardson], 8:394
Roofthooft, José M. A.: Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126

S

Sabo, Marc A.:
Minocycline-induced cutaneous hyperpigmentation [Joseph and Sabo], 5:268
Origin of foot ganglion [Lemont and Sabo], 5:256
Sanner, William H.: The biomechanics, etiology, and treatment of cycling injuries [Sanner and O'Halloran], 7:354
Scherer, William P.: Dermatophyte test medium culture *versus* mycology laboratory analysis for suspected onychomycosis: a study of 100 cases in a geriatric population [Scherer and Kinmon], 9:450
Schramm, Kathryn A.: Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247
Schwartz, Robert I.: The instep plantar fasciotomy for chronic plantar fasciitis: a retrospective review [Fishco et al], 2:66
Shaffer, Richard A.: The association of blisters with musculoskeletal injuries in male Marine recruits [Bush et al], 4:194
Shaheed, Naim: A rare occurrence of polydactyly [Shaheed et al], 8:425
Shearstone, Jenna: Manipulation method for the treatment of ankle equinus [Dananberg et al], 8:385
Sheehan, Peter: Vincristine-induced neuroarthropathy (Charcot's joint) [McKay et al], 9:478
Sibel, Stuart: Paronychia in patients receiving antiretroviral therapy for human immunodeficiency virus infection [Sibel et al], 2:98
Sinacore, David R.: Timing of peak plantar pressure during the stance phase of walking: a study of patients with diabetes mellitus and transmetatarsal amputation [Kelly et al], 1:18
Singer, Kevin P.: Normal values of plantar pressure measurements determined using the EMED-SF system [Bryant et al], 6:295

Sowell, Robert D. "Doug":
Acceptance address, 8:430
Strength through unity: the future of podiatric medicine, 9:487
Strength through unity: why become a mentor for podiatric medicine?, 10:529
Spadone, Samuel J.: Review of *Numb Toes and Aching Soles: Coping with Peripheral Neuropathy*, 2:107
Suryaprasad, Seetha G.: Squamous cell carcinoma of the hallux [Holgado et al], 6:309

T

Talbert, Todd: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Tinley, Paul: Normal values of plantar pressure measurements determined using the EMED-SF system [Bryant et al], 6:295
Turlik, Michael A.: Levels of evidence of articles in podiatric medical journals [Turlik and Kushner], 6:300

V

Van Acker, Kristien L.: Effect of physical therapy on limited joint mobility in the diabetic foot: a pilot study [Dijs et al], 3:126
VanCourt, Robert B.: Fracture mechanics: a comparison study of torsional stress on bone [VanCourt et al], 4:167
Varin, Janet: Use of gait patterns to reveal possible disorders in the geriatric patient [Paragas et al], 4:183
Vincent, Andrew: Retained digital foreign body after a pellet gun injury [Vincent and Jenkins], 2:103
Vlahovic, Tracey C.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Vogler, Harold W.: Tarsal functions, movement, and stabilization mechanisms in foot, ankle, and leg performance [Vogler and Bojsen-Møller], 3:112

W

Walters, Robert G.: A case of peroneal neuropathy–induced footdrop: correlated and compensatory lower-extremity function [Vlahovic et al], 8:411
Ward, Shawn C.: Squamous cell carcinoma of the hallux [Holgado et al], 6:309
Winters, Christopher L.: The Boyd amputation as a treatment for osteomyelitis of the foot [Grady and Winters], 5:234
Wrobel, James S.:
Outcomes research in podiatric medicine, 8:403
Primary closure of infected diabetic foot wounds: a report of closed instillation in 30 cases [Connolly et al], 4:175

Y

Yoho, Robert M.: Avulsion fracture of the plantar lateral base of the first metatarsal [Yoho et al], 2:101
Yong, Raymond: Klippel-Trénaunay syndrome: an unusual presentation of unilateral leg edema [Morin et al], 8:421
Young, Brent A.: Mycetoma [Young et al], 2:81

Z

Zager, Emil J.: Use of electrostimulation in the treatment of diabetic neuroarthropathy [Grady et al], 6:287
Zielaskowski, Lorne A.: Multiple neuromas coexisting with rheumatoid synovitis and a rheumatoid nodule [Zielaskowski et al], 5:252
Zimmerman, Brian J.: Comparison of three types of postoperative management for endoscopic plantar fasciotomy: a retrospective study [Zimmerman et al], 5:247